




Beautiful Made Easy



ESSENCE

8.0MM HDF HERRINGBONE AC-4


UNIQUE FEATURES



Termite Resistant



Environment
Friendly



Easy To Clean Floor



Glue free




Easy Maintenance




Cigarette Burn
Resistant

INSTALLATION PATTERN

Herringbone




Double Herringbone




Basket Wave




Diagonal Basket Wave



Diagonal Herringbone



Brick





*Actual color of the product may vary due to batch difference

REAGAL BROWN OAK
HB-4007
Size : 23.62" x 3.93" x 8.0 mm

32 pcs / Carton
(16A + 16B)
(1.92 Sqmtr)



*Actual color of the product may vary due to batch difference

MIST OAK
HB-4008
Size : 23.62" x 3.93" x 8.0 mm

32 pcs / Carton
(16A + 16B)
(1.92 Sqmtr)



DESERT OAK
HB-4009
Size : 23.62" x 3.93" x 8.0 mm

32 pcs / Carton
(16A + 16B)
(1.92 Sqmtr)



*Actual color of the product may vary due to batch difference

URBAN WALNUT
HB-4010
Size : 23.62" x 3.93" x 8.0 mm

32 pcs / Carton
(16A + 16B)
(1.92 Sqmtr)



*Actual color of the product may vary due to batch difference

WARM SAND OAK
HB-4011
Size : 23.62" x 3.93" x 8.0 mm

32 pcs / Carton
(16A + 16B)
(1.92 Sqmtr)



*Actual color of the product may vary due to batch difference

CARMEL OAK
HB-4012
Size : 23.62" x 3.93" x 8.0 mm

32 pcs / Carton
(16A + 16B)
(1.92 Sqmtr)



Beautiful Made Easy

ESSENCE

8.0MM HDF HERRINGBONE AC-4

STANDARD INSTALLATION GUIDELINE

1. **Measurement:** Check the room dimension by getting it measured by a professional installer.
2. **Prepare Subfloor:** Ensure the subfloor is clean, dry, and level. Repair any imperfections and remove debris.
3. **Acclimate Planks:** Let the HDF Laminate planks acclimate to the room for at least 48 hours before installation.
4. **Cutting Planks:** Use proper cutting tools to cut the planks. Measure and mark accurately.
5. **Layout Planning:** Plan the layout, ensuring the first row is straight. Avoid narrow plank widths at walls.
6. **Cleaning:** Mop the floor with clean water. Avoid using any harsh chemical as they can damage the surface.



www.excelwallpapers.com